



MAGPRO R20

Biphasic

The optimal choice when running a limited number of TMS sessions per day in a clinical setting but is also capable of running most of the used protocols for clinical research. CE approved and FDA cleared for treatment for major depressive disorder. Quick and simple protocol set-up.

Contact

Website: www.magventure.com

Email: info@magventure.com

Max repetition rate

20 pps

Waveform

Biphasic

Ramp up

No

Pulse mode

Standard

Current direction

Normal

Intended use

Diagnostic Use The MagPro R20 is intended as an electro-physiological aid to assess diagnosis and to monitor diseases of the central and peripheral nervous system, based on the use of Motor Evoked Potentials (MEP). **Therapeutic Use** Treatment of Major Depressive Disorder in adult patients who have failed to achieve satisfactory improvement from two prior antidepressant medications, at or above the minimal effective dose and duration in the current episode.

Mechanical Data

| | |
|--------|---|
| HxWxD | 150 x 390 x 440mm/ 5,9 x 15,3 x 17,3 in |
| Weight | 20 kg/ 44 lbs |

Environmental Data

| | |
|-----------------------|---------------------|
| Operating temperature | 10-30°C/ 50-86°F |
| Storage temperature | 5-50°C/41-122°F |
| Operating humidity | 30-60% RH |
| Storage humidity | 20-80% RH |

Power Supply

| | |
|---------------------------|--|
| Mains voltage | 230V~,50/60 Hz according to IEC 60601-1 |
| Maximum power consumption | 800 VA, operation from 100V~ or 120V~ through transformer. |

Ordering number

9016E0861